

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 199 | cooling adj system same (shut-down shut adj down) same level | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/23 10:26 |
| L2 | 22 | cooling adj system same (shut-down shut adj down) same level and computer | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/23 10:21 |
| L3 | 60 | ("5731954").URPN. | USPAT | OR | ON | 2005/03/23 10:23 |
| L4 | 25 | ("4315300" "4434625" "4535386" "4643245" "4644443" "4739445" "4866743" "5186605" "5195576" "5243493" "5271239" "5272599" "5285347" "5287244" "5315480" "5339214" "5365749" "5370178" "5396775" "5452362" "5457342" "5473508" "5482113" "5566377" "5646824").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/03/23 10:23 |
| L5 | 13 | cooling same (shut-down shut adj down) with computer same (liquid water) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/23 10:55 |
| L6 | 786 | cool\$4 with level same (below fall) same (warning alarm shut-down shut adj down emergency) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/23 11:00 |
| L7 | 397 | cool\$4 with level with (below fall) same (warning alarm shut-down shut adj down emergency) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/23 11:01 |
| L8 | 111 | cool\$4 with level with (below fall) same (warning alarm shut-down shut adj down emergency) and heat adj exchanger | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/23 11:01 |
| L9 | 28 | ("5323847").URPN. | USPAT | OR | ON | 2005/03/23 11:05 |

| | | | | | | |
|-----|--------|---|---|----|-----|------------------|
| L10 | 29 | (US-20050005683-\$).did. or (US-4091669-\$ or US-4627281-\$ or US-4646560-\$ or US-4679425-\$ or US-4739648-\$ or US-4747062-\$ or US-4791814-\$ or US-4852054-\$ or US-4862734-\$ or US-4893498-\$ or US-4964296-\$ or US-5211678-\$ or US-5272920-\$ or US-5319964-\$ or US-5471867-\$ or US-5604315-\$ or US-6148854-\$ or US-6854320-\$ or US-6687643-\$ or US-5245869-\$ or US-5731954-\$ or US-3992894-\$ or US-4434625-\$ or US-5323847-\$ or US-6807056-\$ or US-6714412-\$).did. or (US-6621707-\$ or US-6371157-\$). did. | US-PGPUB; USPAT | OR | ON | 2005/03/23 11:28 |
| L11 | 10 | 10 and leak and rate and differential with pressure | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/23 11:29 |
| L12 | 218582 | ("73").CLAS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2005/03/23 12:58 |
| L13 | 483 | 12 and liquid near3 (level depth height) and (warning alarm) same (below drop fall) with (level height depth) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/23 13:15 |
| L14 | 323 | 12 and liquid near3 (level depth height) same (warning alarm) same (below drop fall) with (level height depth) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/23 12:59 |
| L15 | 312 | 12 and liquid near3 (level depth height) same (warning alarm) same (below drop fall) with (level height depth) | USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/23 13:00 |
| L16 | 13 | 12 and liquid near3 (level depth height) same (warning alarm) same (below drop fall) with (threshold level height depth) and cooling adj system | USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/23 13:01 |
| L17 | 46 | 12 and liquid near3 (level depth height) and (warning alarm) same (below drop fall) with (level height depth) and pressure adj (sensor transducer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/23 13:23 |

| | | | | | | |
|-----|--------|--|---|----|-----|------------------|
| L18 | 137091 | ("361").CLAS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2005/03/23 13:24 |
| L19 | 1 | 18 and liquid near3 (level depth height) and (warning alarm) same (below drop fall) with (level height depth) and pressure adj (sensor transducer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/23 13:24 |
| L20 | 1970 | (361/687-689).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2005/03/23 13:24 |
| L21 | 32 | (US-20050005683-\$).did. or (US-4091669-\$ or US-4627281-\$ or US-4646560-\$ or US-4679425-\$ or US-4739648-\$ or US-4747062-\$ or US-4791814-\$ or US-4852054-\$ or US-4862734-\$ or US-4893498-\$ or US-4964296-\$ or US-5211678-\$ or US-5272920-\$ or US-5319964-\$ or US-5471867-\$ or US-5604315-\$ or US-6148854-\$ or US-6854320-\$ or US-6687643-\$ or US-5245869-\$ or US-5731954-\$ or US-3992894-\$ or US-4434625-\$ or US-5323847-\$ or US-6807056-\$ or US-6714412-\$).did. or (US-6621707-\$ or US-6371157-\$ or US-5705747-\$ or US-5351725-\$).did. or (US-3338261-\$).did. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/03/23 14:55 |
| L22 | 17 | 21 and (limit level) same (below fall drop) and (alarm warning indicate) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/23 14:56 |
| S1 | 168575 | ("73").CLAS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2004/11/01 11:08 |

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| S2 | 10 | US-3939383-\$.DID. OR US-3969923-\$.DID. OR US-4024887-\$.DID. OR US-4531405-\$.DID. OR US-5283552-\$.DID. OR US-5557965-\$.DID. OR US-5632302-\$.DID. OR US-5698117-\$.DID. OR US-5913236-\$.DID. OR US-6401525-\$.DID. | USPAT | OR | ON | 2005/03/22 13:07 |
| S3 | 664 | (73/149).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2004/11/14 17:07 |
| S4 | 44 | S3 and rate with (change and volume) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/11/14 16:57 |
| S5 | 8 | S3 and pressure adj transducer with (base bottom) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/11/14 16:58 |
| S6 | 230 | (73/861.49).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2004/11/14 17:41 |
| S7 | 707 | (73/302).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2004/11/14 17:41 |
| S8 | 5 | "736947".ap. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/20 22:07 |
| S11 | 1003 | (73/49.2).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2005/03/21 10:53 |
| S12 | 63188 | S11 and volume adj change and pressure (sensor transducer) same differential | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/21 10:42 |

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| S13 | 63188 | S11 and volume adj change and pressure (sensor transducer) same differential | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/21 10:42 |
| S14 | 13 | S11 and volume adj change and pressure adj (sensor transducer) same differential | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/21 10:47 |
| S15 | 19905 | S11 and leak (tank container) and level and pressure adj (sensor transducer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/21 10:47 |
| S16 | 118 | S11 and leak with (tank container) and level and pressure adj (sensor transducer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/21 10:54 |
| S17 | 2 | S11 and leak with (tank container) and level and pressure adj (sensor transducer) and (multiple plurality) with (pressure adj measurements) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/21 10:49 |
| S18 | 18 | leak with (tank container) and level and pressure adj (sensor transducer) and (multiple plurality) with (pressure adj measurements) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/21 10:50 |
| S19 | 2 | leak with (tank container) and level and pressure adj (sensor transducer) and (continuous) with (pressure adj (readings measurements)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/21 10:51 |
| S20 | 820 | (73/299).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2005/03/21 10:53 |
| S21 | 14 | S20 and leak with (tank container) and level and pressure adj (sensor transducer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/21 10:54 |

| | | | | | | |
|-----|--------|---|---|----|-----|------------------|
| S22 | 19 | (US-20050005683-\$).did. or (US-4091669-\$ or US-4627281-\$ or US-4646560-\$ or US-4679425-\$ or US-4739648-\$ or US-4747062-\$ or US-4791814-\$ or US-4852054-\$ or US-4862734-\$ or US-4893498-\$ or US-4964296-\$ or US-5211678-\$ or US-5272920-\$ or US-5319964-\$ or US-5471867-\$ or US-5604315-\$ or US-6148854-\$ or US-6854320-\$).did. | US-PGPUB; USPAT | OR | ON | 2005/03/21 11:38 |
| S23 | 11 | S22 and (continuous plurality multiple time) with pressure | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/21 11:40 |
| S24 | 3 | S22 and (continuous plurality multiple time) with pressure with (measurment data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/21 11:40 |
| S25 | 8 | S22 and leak with (rate) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/21 11:41 |
| S26 | 8 | S22 and leak near3 (rate) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/21 11:41 |
| S27 | 218582 | ("73").CLAS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2005/03/22 12:41 |
| S28 | 451 | S27 and leak with rate same (tank vessel container) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/22 12:42 |
| S29 | 133 | S27 and leak with rate same (tank vessel container) and pressure adj (sensor transducer detector) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/22 12:42 |
| S30 | 29 | S27 and leak with rate same (tank vessel container) same pressure adj (sensor transducer detector) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/22 13:16 |

| | | | | | | |
|-----|--------|--|---|----|----|------------------|
| S31 | 34 | ("1457406" "2521477" "3038336" "3932038" "4011746" "4037967" "4114423" "4132110" "4136567" "4235099" "4307609" "4322775" "4400978" "4425787" "4553216" "4630478" "4674322" "4677851" "4811601" "4981042" "5237853" "5319964" "5447063" "5587527" "5811690" "5827963" "5953954" "6053041" "6234019" "6426917" "H000490").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/03/22 12:45 |
| S32 | 32 | leak with rate same (tank vessel container) same pressure adj (sensor transducer detector) not S30 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/22 12:48 |
| S35 | 21 | (US-20050005683-\$).did. or (US-4091669-\$ or US-4627281-\$ or US-4646560-\$ or US-4679425-\$ or US-4739648-\$ or US-4747062-\$ or US-4791814-\$ or US-4852054-\$ or US-4862734-\$ or US-4893498-\$ or US-4964296-\$ or US-5211678-\$ or US-5272920-\$ or US-5319964-\$ or US-5471867-\$ or US-5604315-\$ or US-6148854-\$ or US-6854320-\$ or US-6687643-\$ or US-5245869-\$).did. | US-PGPUB; USPAT | OR | ON | 2005/03/22 12:55 |
| S36 | 376494 | "21" and (alarm indicator warn warning) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/22 12:55 |
| S37 | 5 | S35 and (alarm indicator warn warning) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/22 12:55 |
| S40 | 16 | S36 and leak with rate same (tank vessel container) same pressure adj (sensor transducer detector) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/22 13:17 |
| S41 | 0 | S31 and leak with rate same (tank vessel container) same pressure adj (sensor transducer detector) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/22 13:18 |

| | | | | | | |
|-----|---|---|---|----|----|------------------|
| S42 | 0 | S31 and leak with rate same (tank vessel container) and pressure adj (sensor transducer detector) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/22 13:17 |
| S43 | 0 | S31 and volume with rate same (tank vessel container) and pressure adj (sensor transducer detector) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/22 13:17 |
| S44 | 5 | S35 and leak with rate same (tank vessel container) same pressure adj (sensor transducer detector) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/03/22 13:18 |